

Modern Spearhead – Draft Official DC Errata – Version 0.990 – 28 July 2006

<http://modernspearhead.net/>

The following document is part of the official Errata and Corrections for Modern Spearhead as at the date specified above. The material is provided in two documents, the first being the TO&E errata and corrections, the second Data Card corrections.

This document is additional errata for the Data Cards. Both of these may be periodically updated.

This document will be periodically updated as needed over time – however this should eventually stabilise as a definitive document. A change log is provided to identify where changes are made, should subsequent changes be made.

All page, section, and wording references are to the original published text in its unaltered state.

These pages have been formatted to print equally suitably on international A4, or US Letter sized paper.

Data Card Errata & Amendments

These changes update your copy of Modern Spearhead to version 1.1. As the UK card has numerous changes and is missing some data we may issue a new updated Data Card in the future. Update the appropriate sections of the Data Cards by pasting in or altering as follows:

US Data Cards:

M1A2 Abrams:

DEF should read: 13/5

Note: M1A2 SEP Abrams has same stats as M1A2 Abrams except DEF 14/5.

M1A1 HAP Abrams:

Name should read: M1A1 HA Abrams

DEF should read: 12/5

Note: 'M1A1 HC' and 'M1A1 HA Improved' Abrams have same stats as M1A1 HA except DEF 13/5.

M1A1 Abrams:

DEF should read: 11/4

M1 Improved Abrams:

DEF should read: 11/4

M1 Abrams:

DEF should read: 10/4

M60A3 – first entry:

DEF should read: 9/3

Notes should read: 1981-92

M60A3 – second entry:

DEF should read: 9/3

Notes should read: 1979-82

M60A2:

Notes should read: 1975-82

M60A1 USMC Upgrade:

DEF should read: 9/3

Notes should read: 1989-92 Gulf War

M60A1:

DEF should read: 9/2

Notes should read: 1962-85

M60:

DEF should read: 9/2

Notes should read: 1960-62

M48A5:

Notes should read: 1976-90

M48A3:

Notes should read: 1963-80

M48A2:

Notes should read: 1956-68

M48 to M48A1:

Notes should read: 1953-68

M47 Patton:

DEF should read: 9/2

Notes should read: 1952-60

M103:

DEF should read: 9/3

Notes should read: 1954-73

M26 / M46 Pershing:

DEF should read: 7/3

M551 Sheridan:

DEF should read: 3/2

Notes should read: 1966-90

M41 Walker Bulldog:

Notes should read: 1952-67

UK Data Cards:

Challenger II:

DEF should read: 14/5

Notes should read: 1998+

Challenger I Upgrade:

AT should read: 12-24"

AI should read: 6-24"

Notes should read: 1991+

Challenger I:

AT should read: 12-24"

AI should read: 6-24"

Chieftain with Stillbrew:

DEF and CED should read: 11/5 4
AT should read: 12-24"
AI should read: 6-24"
Notes should read: 1986-95

Chieftain IX or XI:

Name should read: Chieftain IX
DEF and CED should read: 10/4 2
AT should read: 12-24"
AI should read: 6-24"
Night Vision should read: IR
Notes should read: 1983-95

Chieftain V:

DEF should read: 10/4
Night Vision should read: IR
Notes should read: 1974-1985

Chieftain II:

DEF should read: 10/4

Centurion XIII:

Notes should read: 1981-84

Centurion VII:

Notes should read: 1965-80

Centurion V:

Notes should read: 1965-80

Centurion III:

DEF should read: 8/3
Notes should read: 1953-65

Centurion II:

DEF should read: 8/3
Notes should read: 1946-52

Conqueror:

DEF should read: 10/3
AT should read: 10-18"
AI should read: 6-18"
Notes should read: 1955-66

Spartan Milan III:

Name should read: Spartan MCT Milan 2
Night Vision should read: IR
Notes should read: 1985+ Milan 2

Spartan Milan I:

Name should read: Spartan MCT Milan

Striker Swingfire:

Move should read: 12"a
Notes should read: 1975+ Swingfire

FV438 Swingfire:

Night Vision should read: IR
Notes should read: 1968-84 Swingfire

Ferret Vigilant:

Notes should read: 1964-68 Vigilant

Spartan:

AA should read: HS-9"

MCV80 Warrior:

AA should read: -
ATGW should read: 3-6"
Night Vision should read: IR
Notes should read: 1987+ LAW80
Also note that when first introduced in 1987 Warrior will have ATGW 3-3" (LAW+MAW) until introduction of LAW80 in 1988.

Sultan:

AT should read: -
AI should read: -
ATGW should read: -
Fire Priority should read: -
Notes should read: 1972+ HQ Only

FV432 Trojan II (top entry with 1985-89 Note):

This entry should be entirely struck out – it is redundant.

FV432 Trojan I (top entry with 1985-89 Note):

This entry should be entirely struck out – it is redundant.

FV432 Trojan II (2nd entry with 1979-85 Note):

Name should read: FV432 Trojan
AA should read: -
ATGW should read: 2-3"
Notes should read: LAW; Berlin Bde

FV432 Trojan I (2nd entry with 1976-85 Note):

Name should read: FV432 & FV432 PE MGT
ATGW should read: 3-6"
Notes should read: 1988-89 LAW80

FV432:

Name should read: FV432 & FV432 PE MGT
ATGW should read: 3-3"
NV should read: IR
Notes should read: 1962-88 LAW+MAW
Note: prior to 1967 LAW only so ATGW is 2-3".

Spartan:

ATGW should read: 2-6"
Notes should read: 1978+ LAW

FV432 Mortar:

Indirect Fire Max should read: 55"

Abbot:

Notes should read: 1985-92 HE & SM

MLRS:

Notes should read: 1990+ ICM & Mine

Rapier 2000:

This entry should be entirely struck out – it is redundant.

Stormer:

AA should read: 5-50"
Notes should read: 1992+

Rapier (Improved) with DEF 3 (5):

This entry should be entirely struck out – it is redundant.

Rapier (Improved) with DEF 5:

Name should read: Rapier FSC
AA should read: 5-80"

Rapier with DEF 3 (5):

Name should read: Rapier Tracked
AA should read: 4-65"
Notes should read: 1983+

Rapier with DEF 5:

AA should read: 4-65"
Notes should read: 1973+

Javelin:

AA should read: 3-45"

Spartan Blowpipe:

AA should read: 2-30"
Notes should read: 1978-92

Blowpipe:

AA should read: 2-30"
Notes should read: 1972-92

Chieftain AVLB:

Notes should read: 1974+

Infantry (1988):

ATGW should read: 3-6"
Night Vision should read: IR
Notes should read: 1988+ LAW80

Infantry (1978):

This entry should be entirely struck out or deleted – it is redundant.

Infantry (1970):

Name should read: Infantry (1967)
ATGW should read: 3-3"
Night Vision should read: IR
Notes should read: 1978+ LAW+MAW

Milan III:

Name should read: Milan 2
Notes should read: 1985+ Milan 2

Milan I:

Name should read: Milan
Notes should read: 1979-89 Milan

81mm Mortar:

Indirect Fire Max should read: 55"

Westland Lynx:

Name should read: Westland Lynx Mk.7
AI should read: -
AA should read: -
Cargo should read: TOW 2

Hunter Mk.58:

Name should read: Hunter
Others should read: -
Year should read: 1955-71

FRG/West German Data Cards:

Leopard 2A5:

DEF & CED should read: 13/5 6

Leopard 1A5:

DEF should read: 10/4

Leopard 1A4:

DEF & CED should read: 9/4 3

Leopard 1A3:

DEF & CED should read: 9/4 3

Leopard 1A1A1:

DEF & CED should read: 9/3 3

Leopard 1A1 and 1A2:

DEF & CED should read: 9/2 3

M48A5 GA2:

Name should read: M48A2 GA2

DEF & CED should read: 9/3 2

M48A1 and M48A2:

DEF should read: 9/3

Notes should read: 1956-79

M47 Patton:

DEF should read: 9/2

French Data Cards:

Leclerc:

DEF should read: 12/4

AMX-40:

DEF & CED should read: 10/3 4

AMX-32:

DEF & CED should read: 10/3 2

AMX-30B2:

DEF should read: 9/3

AMX-30B2:

DEF should read: 9/3

AMX-30:

DEF should read: 9/3

AMX-30:

DEF should read: 9/3

M47 Patton:

DEF should read: 9/2

Israeli Data Cards:

Merkava III:

DEF should read: 13/5

Merkava II:

DEF should read: 12/5

Merkava I:

DEF should read: 11/4

Magach C:

DEF should read: 10/3

Note: Magach D is same but DEF 11/3.

Magach A or B:

DEF should read: 9/3

NV should read: IR

M60A3:

DEF should read: 9/3

M60A1 Upgrade:

DEF should read: 9/2

M60A1:

DEF should read: 9/2

Centurion Sh'ot:

DEF should read: 9/4

NV should read: IR

Notes should read: 1982-95 Upgrade

Panturion Upgrade:

DEF should read: 9/4

Notes should read: 1978-81 (Sh'ot)

Centurion Panturion:

DEF should read: 9/4

Notes should read: 1970-1982 (Sh'ot)

Centurion Ben Gurion:

DEF should read: 9/4

Notes should read: 1963-1972

AMX-13:

Notes should read: 1952-74

M51 Isherman:

DEF should read: 7/2
Notes should read: 1967-1975

M50 Super Sherman:

DEF should read: 7/2
Notes should read: 1956-1967

M4A3E8 Sherman:

DEF should read: 7/2

Cromwell:

DEF should read: 7/3

Soviet & Warsaw Pact Data Cards:

Note that there are numerous changes to the Soviet & WarPac data cards – as a result we are releasing a new upgraded (and expanded) data card set alongside this errata. The new data card is extensive so is not ideal for use in actual games and should be used as a reference instead to prepare your own custom data cards. If at any time this errata contradicts the new data card values the latter is the correct value. Here is the main errata to update your existing data cards:

T-90S:

Name should read: T-90 or T-90S
DEF should read: 11/3
Hull Down should read: 0
AT should read: 12s-24"
Night Vision should read: TI
Weight should read: 10
Notes should read: 1993+ (AT-11)

T-80U:

Name should read: T-80UM
DEF & CED should read: 11/3 4
Hull Down should read: 0
Night Vision should read: TI
Weight should read: 9
Notes should read: 1992+ (AT-11)

T-80BV:

CED should read: 4
Hull Down should read: 0
Notes should read: 1985+ (AT-11)

T-80:

Name should read: T-80B
CED should read: 3
Hull Down should read: 0
Notes should read: 1979+ (AT-11)

T-72BM (Upgrade):

Name should read: T-72BM
DEF & CED should read: 11/3 4
Notes should read: 1989+ (AT-11)

T-72BM:

Name should read: T-72S & M1M
CED should read: 4
Notes should read: 1991+ (AT-11) Export

T-72BV:

Name should read: T-72B
DEF should read: 10/3
Weight should read: 9
Move should read: 12"

Notes should read: 1985+ (AT-11)

T-72B:

Name should read: T-72M1
AT should read: 10-21"
ATGW should read: -
Move should read: 12"
Notes should read: 1981+ Export

T-72A:

Notes should read: 1979+

T-72:

DEF should read: 9/3
AT should read: 10-18"
Notes should read: 1973+

T-64BV:

DEF should read: 10/3
AI should read: 5s-21"
ATGW should read: 4-30"
Move should read: 12"
Notes should read: 1985+ (AT-11)

T-64B:

DEF should read: 9/3
AI should read: 5s-21"
Weight should read: 8
Move should read: 12"
Notes should read: 1978+ (AT-11)

T-64:

Name should read: T-64A
CED should read: 3
Weight should read: 8
Move should read: 12"
Notes should read: 1968+

T-66:

Strike Out/Delete entire entry – it is redundant.

T-62E:

Name should read: T-62E (Upgraded A or M)
DEF & CED should read: 9/3 3
ATGW should read: -
Notes should read: 1981+

T-62M (upgrade):

Name should read: T-62M1, D or MV
CED should read: 3
ATGW should read: 2-30"
Notes should read: 1983+ AT-12

Modern Spearhead – Draft Official DC Errata – Version 0.990 – 28 July 2006

<http://modernspearhead.net/>

T-62M:

Name should read: T-62A or M
CED should read: 2
Notes should read: 1966+

T-62:

AT should read: 9-18"
Notes should read: 1961-70

T-55AM (Upgrade):

Name should read: T-55AM2
DEF & CED should read: 9/3 3
AT should read: 9-21"
AI should read: 5-21"
Notes should read: 1983+ (AT-10)

T-55:

Notes should read: 1958+

T-54 (Upgrade):

Name should read: T-54 late
Night Vision should read: -
Notes should read: 1968+

T-54:

Name should read: T-54 early
Night Vision should read: -
Notes should read: 1948+

T-10:

Name should read: T-10M
DEF should read: 8/3
Move should read: 9"
Notes should read: 1957-67
Additional Note: From 1967 AT is 10-15" however Soviets withdrew T-10's into reserve in 1967 until scrapping the last of them in 1993.

IS-3:

DEF should read: 8/3
Notes should read: 1945-67

IS-2:

DEF should read: 7/3
AT should read: 9-15"
Move should read: 6"
Notes should read: 1945-67

T-34/100:

DEF should read: 6/2
Notes should read: 1970+ Egypt

T-44:

Strike Out/Delete entire entry – it is redundant.

T-34/85:

DEF should read: 6/2

BRDM-2 Sagger:

ATGW should read: 2-24"

BRDM-1 Snapper:

ATGW should read: 2-18"

GAZ69 Sagger:

ATGW should read: 2-18"

IT-1 Draken Songster:

Name should read: IT-1 Drakon
DEF should read: 8/3
ATGW should read: 3-30"
Night Vision should read: -
NBC should read: N
Notes should read: 1968-70

IT-130:

DEF should read: 8/3
AT should read: 9-18"
AI should read: 5-18"
NBC should read: N
WT should read: 8
Notes should read: 1962-77 Rsv to '85

IT-122:

DEF should read: 8/3
Night Vision should read: -
NBC should read: N
WT should read: 8
Notes should read: 1954-75 Rsv to '85

ISU-122:

DEF should read: 8/3

ISU-152:

DEF should read: 8/3
AT should read: 7-9"

SU-100:

DEF should read: 6/2
AT should read: 7-15"

ASU-85:

AT should read: 7-15"

125mm Rapira 3:

ATGW should read: 4-30"

Modern Spearhead – Draft Official DC Errata – Version 0.990 – 28 July 2006

<http://modernspearhead.net/>

BM-21:

Indirect Fire Max should read: 150"

FROG-7:

Indirect Fire Max should read: 700"

SA-13 Gopher MTLB:

AA should read: 4-50"
Notes should read: 1976+

SA-12:

Name should read: SA-12 Gladiator
AA should read: 5-800"
Notes should read: 1982+

SA-9 Gaskin:

Notes should read: 1968+

SA-8 Gecko:

Notes should read: 1972+

SA-6B Gainful:

Strike Out/Delete entire entry – it is redundant.

SA-6 Gainful:

AA should read: 4-240"
Notes should read: 1967+

SA-4 Ganef:

AA should read: 4-550"
Notes should read: 1964+

SA-3 Goa:

Notes should read: 1961+

SA-2 Guideline:

AA should read: 3-350"
Notes should read: 1959+ Static Empl.

T-55T ARV:

DEF should read: 8/2

UR-77 Mineclearer:

Name should read: MTK-1 or 2 UR-67

Engineers:

Name should read: (Light) Engineers
ATGW should read: 2-3"

Combat Engineers:

AA should read: -
ATGW should read: 4-3"

Infantry (1982 & 1990)

Note that these Infantry can have integral AT-7 giving them an ATGW rating of 2-12" so ATGW factor can be either 4-6" or 2-12".

Infantry (1971):

Notes should read: 1970-82 RPG-7

Infantry (1960):

Notes should read: 1960-70 RPG-7

Infantry (1950):

Notes should read: 1950-60 RPG-2

Soviet Infantry – AA

The Soviet Infantry & ATGW Platoons incorrectly have the AA asset incorporated into the platoons, and have the wrong range for it. For the AA column under Infantry cut the following out and replace the block of 5 entries for Infantry, and the block of 3 for ATGW Platoons:

HS-6"
HS-6"
HS-6"
HS-6"
HS-6"

HS-6"
HS-6"
HS-6"

Vaselik Auto-Mortar:

DEF should read: 5
AT should read: 4-9"
AI should read: 6-9"
Indirect AI should read: 5
Move should read: 6"

SPG-9 LPG:

AT should read: 7-9"
ATGW should read: -

Ka-34 Hokum:

Name should read: Ka-50 Hokum
Cargo should read: *Note: Field Trials Only*

Modern Spearhead – Draft Official DC Errata – Version 0.990 – 28 July 2006

<http://modernspearhead.net/>

Mi-28 Havoc:

Name should read: Mi-28N Havoc B
AT should read: 4-12"
ATGW should read: 6-30"
Cargo should read: *In Service 2006?*

Name should read: MiG-21 Fishbed J
Def should read: 3
Can should read: 5
Rkts should read: 5
Bomb should read: 5
Others should read: SB5
Year should read: 1968+

Mi-24 Hind E:

Name should read: Mi-24P Hind F

MiG-23 Flogger:

Def should read: 4
Can should read: 5
Rkts should read: 5
Others should read: SB4 ICM4 NAP4
Year should read: 1973+

Mi-24 Hind D:

AA should read: 1-12"

Mi-8T Hip:

Cargo should read: 1 Inf (2000+)

Su-17 Fitter:

Name should read: Su-17/Su-22 Fitter
Def should read: 4
Rkts should read: 5
Bomb should read: 4
Others should read: SB4 ICM4 NAP4 ARM5
Year should read: 1972+

Mi-8 Hip:

Cargo should read: 3 Inf Platoons

Mi-6 Hook:

Cargo should read: 9 Inf or 6 & 1 LtG

Mi-10 Harke:

Cargo should read: 2 Inf or 1 & 1 MdG

MiG-21 Fishbed:

Name should read: MiG-21 Fishbed C
Def should read: 3
Rkts should read: 5
Bomb should read: 5

Su-25 Frogfoot:

Can should read: 2
Rkts should read: 4
Bomb should read: 4
Others should read: SB4 ICM4
Year should read: 1981+

Su-7 Fitter:

Def should read: 4
Rkts should read: 5
Bomb should read: 5
Year should read: 1961+

Yak-38 Forger:

Def should read: 3
Can should read: 3
Rkts should read: 5
Others should read: SB4 ICM4

MiG-19 Farmer:

Def should read: 3
Rkts should read: 6
Bomb should read: 6
Others should read: NAP5
Year should read: 1955+

MiG-27 Flogger:

Def should read: 4
Can should read: 5
Rkts should read: 5
Others should read: SB4 ICM4
Year should read: 1977+

MiG-17 Fresco:

Def should read: 3
Can should read: 4
Rkts should read: 6
Bomb should read: 6

Su-24 Fencer:

Def should read: 4
Can should read: 2
Bomb should read: 2
Others should read: SB3 ICM3 ARM3
Year should read: 1983+

Il-28 Ilyushin:

Name should read: Il-28 Beagle
Can should read: (5)
Bomb should read: 4
Year should read: 1950-85

MiG-21 Fishbed:

Modern Spearhead – Draft Official DC Errata – Version 0.990 – 28 July 2006

<http://modernspearhead.net/>

MiG-15 Fagot:

Year should read:

1949+

Def should read: 3
Can should read: 5
Rkts should read: 6
Bomb should read: 6

Change Log:

28 July 2006 – Version 0.990.